



Stolní záložní zdroje VICTRON GE Digital Energy

ML/Match - Pluggable single phase line-interactive UPS

Cena v Kč s DPH

Cena v Kč bez DPH

including batteries, bundled with software, three years warranty

EU

EU

ML Series: step wave, 2-LED front, RS232

Match: sine wave, 6-LED front incl. load/runtime indication, RS232, CardConnect (M700L and up)

ML Series

		Rating (VA)	Runtime (min.) *	Dimensions hwxwd (mm)	Cena v Kč s DPH	Cena v Kč bez DPH
16181	ML Series 350VA	350	4	150x110x300	2 227	1 871 Kč
16182	ML Series 500VA	500	5	150x110x300	2 771	2 328 Kč
16183	ML Series 700VA	700	7	150x110x420	3 958	3 326 Kč
16184	ML Series 1000VA	1000	7	150x110x450	6 927	5 821 Kč

* at 75% load

Match

		Rating (VA)	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč s DPH	Cena v Kč bez DPH
12321	Match 500	500	4	144x155x350	6 289	5 285 Kč
12322	Match 700	700	8	144x155x350	9 715	8 164 Kč
12324	Match 1000	1000	8	225x180x360	14 367	12 073 Kč
12326	Match 1500	1500	10	225x180x360	18 815	15 811 Kč
12328	Match 2200 *	2200	-	225x187x485	20 196	16 972 Kč
12330	Battery pack for Match 2200 36V/14Ah	-	5	225x187x485	8 692	7 304 Kč
12329	Match 3000 *	3000	-	225x187x485	30 116	25 307 Kč
12331	Battery pack for Match 3000 48V/14Ah	-	5	225x187x485	13 652	11 472 Kč

* UPS enclosure without battery, order battery cabinets separately
more battery cabinets can be connected for longer run times

Match longer runtime

		Rating (VA)	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč s DPH	Cena v Kč bez DPH
12323	Match 700L	700	30	225x180x360	15 953	13 406 Kč
12325	Match 1000L	1000	20	225x180x360	20 247	17 014 Kč

Match 19 inch (rackmount)

		Rating (VA)	Runtime (min.)	Dimensions hwxwd	Cena v Kč s DPH	Cena v Kč bez DPH
12439	Match 700 19 inch	700	8	3HUx19"x440mm	14 266	11 988 Kč
12440	Match 1000 19 inch	1000	8	3HUx19"x440mm	19 327	16 241 Kč
12441	Match 1500 19 inch	1500	10	3HUx19"x440mm	22 702	19 077 Kč
15571	Match 2200 19 inch *	2200	5	6HUx19"x440mm	37 631	31 623 Kč
15572	Match 3000 19 inch *	3000	5	6HUx19"x440mm	47 909	40 259 Kč

* UPS with two battery drawers, separately packed. Unit will be shipped in three cartons

Battery packs for Match 19 inch

		Rating (VA)	Runtime (min.)	Dimensions hwxwd	Cena v Kč s DPH	Cena v Kč bez DPH
12453	Battery pack for Match 2200 19 inch 36V/14Ah	-	15	3HUx19"x440mm	15 288	12 847 Kč
12454	Battery pack for Match 3000 19 inch 48V/14Ah	-	15	3HUx19"x440mm	16 668	14 007 Kč

Options for Match & Match 19 inch

				Dimensions hwxwd (mm)	Cena v Kč s DPH	Cena v Kč bez DPH
12349	Manual Service Bypass			53x130x204	4 090	3 437 Kč
1014850	DC cable (1.5 m) for 3rd party ext. batt. M2200			-	1 534	1 289 Kč
1014851	DC cable (1.5 m) for 3rd party ext. batt. M3000			-	1 534	1 289 Kč



Stolní záložní zdroje VICTRON GE Digital Energy

EP Pluggable single phase double on line UPS

Cena v Kč s DPH

Cena v Kč bez DPH

Including input cable, batteries and battery cable (standard model), bundled with management software,
Sine wave, LED front incl. load/runtime indication, RS232, USB, SNMP (optional); two years warranty

EU

EU

EP Tower Standard		Rating (VA)	Runtime (min.)	Dimensions wxdxh (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
18547	EP Series 700 T	700	5	145x400x220	14 184	11 920 Kč
18548	EP Series 1000 T	1000	5	145x400x220	17 087	14 359 Kč
18549	EP Series 2000 T	2000	5	192x460x340	28 567	24 006 Kč
18580	EP Series 3000 T	3000	5	192x460x340	33 053	27 775 Kč
18581	EP Series 6000 T	6000	7	260x570x717	90 318	75 897 Kč

EP Tower long runtime		Rating (VA)	Runtime (min.)	Dimensions wxdxh (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
18582	EP Series 700 LRT	700	-	145x400x220	11 084	9 314 Kč
18583	EP Series 1000 LRT	1000	-	145x400x220	14 184	11 920 Kč
18584	EP Series 2000 LRT	2000	-	192x460x340	26 389	22 176 Kč
18585	EP Series 3000 LRT	3000	-	192x460x340	29 292	24 615 Kč
18586	EP Series 6000 LRT	6000	-	260x570x717	83 589	70 242 Kč

EP 19 inch (rack)		Rating (VA)	Runtime (min.)	Dimensions hxwxd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
18587	EP Series 700 R	700	5	2Ux19"x420	17 087	14 359
18588	EP Series 1000 R	1000	5	2Ux19"x420	19 990	16 798
18589	EP Series 2000 R *	2000	5	2Ux19"x420	18 671	15 690
18592	EP Batt 96V	-	-	2Ux19"x420	17 219	14 470
18590	EP Series 3000 R *	3000	5	2Ux19"x420	27 445	23 063
18592	EP Batt 96V	-	-	2Ux19"x420	17 219	14 470
18591	EP Series 6000 R *	6000	7	3Ux19"x600	57 265	48 122
18593	EP Batt 240V	-	-	3Ux19"x600	41 761	35 094

* UPS and battery cabinet are separately packed. When placing an order for this unit, also order the battery pack.

Options					Cena v Kč bez DPH	Cena v Kč bez DPH
18594	EP SNMP Card	-	-	-	12 997	10 922
20561	EP battery cable for LRT 0.7/1/2/3 KVA	-	-	-	924	776
20562	EP battery cable for LRT 6 KVA	-	-	-	924	776
18595	EP Battery Cable for 0.7/1/2/3 KVA	-	-	-	924	776
20560	EP Battery Cable for 6KVA	-	-	-	924	776

emcomp s.r.o.Email: obchod@emcomp.czwww.emcomp.cz

Na Roudné 178, 301 00 Plzeň 1

tel.: 602 217 044



GE Digital Energy

Stolní záložní zdroje VICTRON GE Digital Energy**VH Series NEW pluggable single phase on line UPS**Cena v Kč s
DPH

Cena v Kč bez DPH

including batteries, bundled with software, three years warranty

Tower/rack format cabinet, sinewave, automatic bypass, option slot, 12-LED front panel

EU

EU

VH Series		Rating (VA)	Runtime (min)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
18456	VH Series 700	700	13	440 (19inch) x 87 (2U) x 472	19 796	16 635
18457	VH Series 1000	1000	8	440 (19inch) x 87 (2U) x 472	21 814	18 331
18458	VH Series 1500	1500	6	440 (19inch) x 87 (2U) x 472	27 254	22 903
18459	VH Series 2000	2000	8	440 (19inch) x 87 (2U) x 547	39 311	33 034
18470	VH Series 3000	3000	6	440 (19inch) x 87 (2U) x 547	47 442	39 867

Battery packs for VH Series		Total capacity	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
18471	Battery pack for VH Series 700-1500 36V/14Ah	21		440 (19inch) x 87 (2U) x 472	14 917	12 535
18472	Battery pack for VH Series 2000-3000 72V/14Ah	21		440 (19inch) x 87 (2U) x 547	18 843	15 834

Options				Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12349	Manual Service Bypass			53x130x204	4 149	3 487
18802	Option card for RS232, USB & Relays			-	1 570	1 320



Stolní záložní zdroje VICTRON GE Digital Energy

NetPro Pluggable single phase on line UPS

Cena v Kč s DPH

Cena v Kč bez DPH

including batteries, bundled with software, three years warranty

EU

EU

Sine wave, automatic bypass, CardConnect, 6-LED front, LCD front (NP2kVA and up), programmable outlet (NP3/4kVA)

NetPro	Rating (VA)	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12332 NetPro 600	600	9	225x185x430	21 086	17 719
12333 NetPro 1000 with DC connector	1000	8	225x185x430	24 955	20 970
12334 NetPro 1500	1500	7	225x185x430	31 403	26 389
12335 NetPro 2000 with DC connector	2000	9	293x220x557	47 722	40 103
12337 NetPro 3000 with DC connector	3000	9	293x220x557	60 227	50 611
12339 NetPro 4000	4000	7	293x220x557	71 555	60 131

NetPro iso (galvanic isolation)	Rating (VA)	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12336 NetPro 2000 iso with DC connector	2000	9	293x220x557	60 227	50 611
12338 NetPro 3000 iso with DC connector	3000	9	293x220x557	74 079	62 251

NetPro 19 inch (rackmount)	Rating (VA)	Runtime (min.)	Dimensions hwxwd	Cena v Kč bez DPH	Cena v Kč bez DPH
x 12444 NetPro 600 19 inch	600	9	3HUx19"x440mm	23 160	19 462
x 12445 NetPro 1000 19 inch	1000	8	3HUx19"x440mm	28 431	23 892
x 12446 NetPro 1500 19 inch	1500	7	3HUx19"x440mm	37 515	31 526
x 12447 NetPro 2000 19 inch	2000	9	3HUx19"x440mm	52 993	44 532
x 15573 NetPro 3000 19 inch *	3000	9	6HUx19"x440mm	69 705	58 575

* UPS with two battery drawers, separately packed. Unit will be shipped in three cartons

Battery packs for NetPro	Total capacity	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
--------------------------	----------------	----------------	-----------------------	-------------------	-------------------

NetPro 1000 with DC connector

12341 Battery pack for NetPro 1000 36V/14Ah	21	35	225x185x430	14 019	11 781
12340 Battery pack for NetPro 1000 36V/14Ah w/o batt.	-	-	225x185x430	9 814	8 247

NetPro 2000 (iso) with DC connector

12342 Battery pack for NetPro 2000 72V/7Ah	14	22	293x220x557	15 870	13 336
12343 Battery pack for NetPro 2000 72V/14Ah	21	36	293x220x557	19 178	16 116
12345 Battery pack for NetPro 2000 72V/21Ah	28	52	293x220x557	22 374	18 802
12344 Battery pack for NetPro 2000 72V/21Ah w/o batt.	-	-	293x220x557	11 776	9 896

NetPro 3000 (iso) with DC connector

12346 Battery pack for NetPro 3000 108V/7Ah	14	22	293x220x557	19 627	16 493
12348 Battery pack for NetPro 3000 108V/14Ah	21	37	293x220x557	24 394	20 499
12347 Battery pack for NetPro 3000 108V/14Ah w/o batt	-	-	293x220x557	13 907	11 687

Battery packs for NetPro 19 inch	Total capacity	Runtime (min.)	Dimensions hwxwd	Cena v Kč bez DPH	Cena v Kč bez DPH
----------------------------------	----------------	----------------	------------------	-------------------	-------------------

12449 Battery pack for NetPro 1000 19 inch 36V/14Ah	21	35	3HUx19"x440mm	15 982	13 430
12450 Battery pack for NetPro 1000 19 inch 36V/28Ah	35	70	3HUx19"x440mm	20 917	17 577
12451 Battery pack for NetPro 2000 19 inch 72V/14Ah	21	36	3HUx19"x440mm	20 917	17 577
12452 Battery pack for NetPro 3000 19 inch 108V/7Ah	14	22	3HUx19"x440mm	18 169	15 268

Options for NetPro and NetPro 19 inch	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
---------------------------------------	-----------------------	-------------------	-------------------

12349 Manual Service Bypass	53x130x204	4 149	3 487
1010042 DC cable (1.5 m) for 3rd party ext. batt. NP1000	-	1 570	1 320
1010043 DC cable (1.5 m) for 3rd party ext. batt. NP2000	-	1 570	1 320
1010044 DC cable (1.5 m) for 3rd party ext. batt. NP3000	-	1 570	1 320

17691	Universal Battery Charger (NP3000 only)			-	40 264	33 835
18661	Maritime Kit for NetPro 600-1500			-	21 141	17 766

emcomp s.r.o.Email: obchod@emcomp.czwww.emcomp.cz

Na Roudné 178, 301 00 Plzeň 1

tel.: 602 217 044



GE Digital Energy

Stolní záložní zdroje VICTRON GE Digital Energy**LP 11 Installable 1-1 phase on line UPS**

Cena v Kč s

DPH

Cena v Kč bez

DPH

including batteries, bundled with software, two years warranty; automatic and manual bypass, RS232, EPO, O.C. contacts, multi-language LCD, CardConnect for options like SNMP Card or Relay Card

EU

EU

LP 11	for single operation, with batteries	Rating (kVA)	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12354	LP 3-11*	3	10	537x313x590	85 350	71 723
12362	LP 5-11	5	10	537x313x590	103 295	86 802
12374	LP 6-11	6	8	537x313x590	114 902	96 557
12386	LP 8-11	8	11	680x313x720	139 409	117 151
12398	LP 10-11	10	8	680x313x720	180 738	151 881

* For longer runtimes choose LP 5-11

LP 11	for parallel operation, with batteries	Rating (kVA)	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12356	LP 3-11 + RPA*	3	10	537x313x590	100 210	84 210
12364	LP 5-11 + RPA	5	10	537x313x590	118 547	99 620
12376	LP 6-11 + RPA	6	8	537x313x590	130 156	109 375
12388	LP 8-11 + RPA	8	11	680x313x720	154 662	129 968
12400	LP 10-11 + RPA	10	8	680x313x720	195 991	164 698

* For longer runtimes choose LP 5-11

LP 11	for single operation, without batteries	Rating (kVA)	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12353	LP 3-11 w/o batt.*	3	-	537x313x590	75 648	63 570
12361	LP 5-11 w/o batt.	5	-	537x313x590	88 098	74 032
12373	LP 6-11 w/o batt.	6	-	537x313x590	98 865	83 080
12385	LP 8-11 w/o batt.	8	-	680x313x720	119 221	100 186
12397	LP 10-11 w/o batt.	10	-	680x313x720	157 466	132 324

* For longer runtimes choose LP 5-11

LP 11	for parallel operation, without batteries	Rating (kVA)	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12355	LP 3-11 w/o batt. + RPA*	3	-	537x313x590	89 781	75 446
12363	LP 5-11 w/o batt. + RPA	5	-	537x313x590	102 230	85 907
12375	LP 6-11 w/o batt. + RPA	6	-	537x313x590	112 996	94 955
12387	LP 8-11 w/o batt. + RPA	8	-	680x313x720	133 353	112 061
12399	LP 10-11 w/o batt. + RPA	10	-	680x313x720	171 597	144 199

* For longer runtimes choose LP 5-11

Battery cabinets with batteries

for LP 5-11

	Battery cabinet for LP 5/6/8/10-11 240V/7Ah	Total capacity	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12433	Battery cabinet for LP 5/6/8/10-11 240V/7Ah	14Ah	25	537x313x590	33 366	28 039
12436	Battery cabinet for LP 5/6/8/10-11 240V/14Ah	21Ah	45	537x313x590	50 470	42 412

for LP 6-11

	Battery cabinet for LP 5/6/8/10-11 240V/7Ah	Total capacity	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12433	Battery cabinet for LP 5/6/8/10-11 240V/7Ah	14Ah	21	537x313x590	33 366	28 039
12436	Battery cabinet for LP 5/6/8/10-11 240V/14Ah	21Ah	35	537x313x590	50 470	42 412

for LP 8-11

	Battery cabinet for LP 5/6/8/10-11 240V/7Ah	Total capacity	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12433	Battery cabinet for LP 5/6/8/10-11 240V/7Ah	19Ah	22	537x313x590	33 366	28 039
12436	Battery cabinet for LP 5/6/8/10-11 240V/14Ah	26Ah	33	537x313x590	50 470	42 412

for LP 10-11

	Battery cabinet for LP 5/6/8/10-11 240V/7Ah	Total capacity	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12433	Battery cabinet for LP 5/6/8/10-11 240V/7Ah	19Ah	16	537x313x590	33 366	28 039
12436	Battery cabinet for LP 5/6/8/10-11 240V/14Ah	26Ah	25	537x313x590	50 470	42 412

Battery cabinets without batteries

for LP 5/6/8/10-11

	Battery cabinet for LP 5/6/8/10-11 240V/14Ah w/o batt.	Total capacity	Runtime (min.)	Dimensions hwxwd (mm)	Cena v Kč bez DPH	Cena v Kč bez DPH
12435	Battery cabinet for LP 5/6/8/10-11 240V/14Ah w/o batt.	-	-	537x313x590	16 039	13 478

Options for LP 11

	Options	Cena v Kč bez DPH	Cena v Kč bez DPH
12351	RPA Redundant Parallel Architecture kit ** (1 per unit)	15 309	12 865
15541	Input Relay for LP 3/5/6-11	2 355	1 979
12431	Connector and cable (2.5 m) for 3rd party external batt.	2 243	1 885
17691	Universal Battery Charger	45 703	38 406

**** The RPA-kit contains the following items:**

Bus-cable for communication between UPSs (2 meters),

Bus terminator, *RPA* plug-in card, Add-on electronic module, Thyristor module, Installation guide.